





FORKLIFT TRUCK WITH LPG DRIVE C15 | C18 | C20s WITH PNEUMATIC OR SUPERELASTIC TYRES C15C | C18C | C20sC

WITH CUSHION TYRES



Good all-round visibility and free View through the mast thanks to large viewing window Robust construction and low maintenance costs

Comfortable driving position offers plenty of legroom and intuitive controls Unhindered and lower Entry and exit as well as numerous safety features increase safety



Load capacity: 1500/1800/2000 kg



FORKLIFT TRUCK WITH LPG DRIVE C15-20s / C15C-20sC

High availability with low operating and maintenance costs

The C15-20s and C15C-20sC LPG forklifts are equipped with a robust and durable construction, which, coupled with their compact dimensions, makes these trucks suitable for both indoor and outdoor use. Low maintenance costs, high availability as well as long service life of these forklifts keep the costs of ownership low.



Powerful industrial motor

Powerful acceleration and a reliable operation is ensured by state of the art LPG engines. With long maintenance intervals, an efficient drive is always guaranteed. To ensure reduced noise and low-vibration, the engines are mounted on buffers and thus isolated from the chassis and the axle.



Ergonomic Driver's workplace

Compared to other trucks in this segment, these trucks provide plenty of legroom and headroom for the driver. In addition, various adjustable comfort seats with air or mechanical suspension are available for this truck series.







Safe entry and exit

The operator can easily and safely reach the ergonomic operator compartment via a large, low-set and non-slip step.





Safety and monitoring system

The truck display informs the operator about the condition of the forklift. Operating hours and maintenance intervals are shown on the LCD display.

The display also informs the driver about:

- A high gearbox temperature
- Low Engine oil pressure
- The state of charge of the alternator
- A parking brake applied and much more



FORKLIFT TRUCK WITH LPG DRIVE C15-20s / C15C-20sC



Compact design, excellent Manoeuvrability and easy maintenance

If your application requires particularly compact forklifts, then the CLARK LPG forklifts with cushion tyres of the C15C-C20sC series are the right choice. In contrast to series with pneumatic or superelastic tyres, these trucks have an even **smaller turning radius** and a **very compact designed counterweight**.

They are therefore ideal for use in **space-critical applications**.



Our safety features:




Audible reversing alarm

Automatic neutral position of the driving direction if the seat belt is not engaged



When leaving the forklift, the hydraulic functions are automatically deactivated






CLARK VMS system: When the function is activated, the tilting process of the mast stops automatically in the vertical position.



Speed limiter for programming a fixed maximum speed

Visible orange seat belt





With our numerous safety features, which are already largely included in the standard equipment, we make sure that you get exactly the right forklift truck for your application.

If your application requires more, with numerous options we can find exactly the right specification for your individual application requirements. We will be happy to advise you.

FORKLIFT TRUCK WITH LPG DRIVE C15-20s / C15C-20sC



Ergonomic Workplace

The operator compartment has been designed with best practice safety features to offer the driver an unrestricted view of the fork and loads.

Thanks to the raised seating position, the driver has a good all-round view. This increases safety when handling loads.

The tiltable steering column and the comfort seat can be individually adjusted. Various driver's seats with side safety bars and armrests are available.







Mast and carriage

The robust CLARK lifting masts from our own production have solid 6-roller fork carriers with four side support rollers. This allows even off-centre loads to be transported safely.

The lifting processes are particularly quiet thanks to hydraulically damped lifting cylinders. Nested mast profiles ensure good visibility through the mast.

Parking brake

Simple and error-free operation enables the foot-operated intuitive parking brake. The transmission is disengaged when the parking brake is activated. This prevents unintentional starting against the applied parking brake.



Technical data: Forklift truck with LPG drive C15-20s / C15C-20sC



Load capacity: max. 2000 kg for 500 mm LCD



Lifting height: max. 7075 mm



Driving speed: C15-20s max. 17.6 km/h C15C-20sC max. 16.0 km/h



Power LPG Drive motor: 38.0 kW



Working aisle width: C15-20s from 3665 mm C15C-20sC from 3510 mm



FORKLIFT TRUCK WITH LPG DRIVE

C15 | C18 | C20s WITH PNEUMATIC OR SUPERELASTIC TYRES C15C | C18C | C20sC WITH CUSHION TYRES



